


# Bishop School Arlington, MA



## Fire Alarm Upgrades

### Special Notes

1. All existing electromagnetic door holder to remain operational.
2. Substitute dual or single monitor modules as required.
3. Exact location of device(s) to be determined by installing contractor.
4. Furnish and install new device as per alt/add provision.
5. All attic devices to be included.




DEVICE ELEVATION DETAIL  
NOT TO SCALE

1. THE ELECTRICAL CONTRACTOR SHALL COMPLETE A CERTIFICATE CERTIFYING THAT THE SYSTEM HAS BEEN 100 PERCENT TESTED AND FUNCTIONS IN COMPLETE COMPLIANCE WITH THE SYSTEM SPECIFICATIONS AND MANUFACTURER'S RECOMMENDATIONS. THE CERTIFICATE SHALL BE SIGNED BY THE INSTALLER, ELECTRICAL CONTRACTOR AND THE OWNER. AFTER RECEIPT OF THE CERTIFICATION, THE FIRE PREVENTION OFFICER AND/OR THE FIRE ALARM SUPERVISOR WILL CONDUCT AN INSPECTION IN THE COMPANY OF THE INSTALLER AND A REPRESENTATIVE OF THE OWNER WITHIN SCOPE OF WORK.
  2. ALL FIRE ALARM VISUAL DEVICES SHALL BE SYNCHRONIZED.
  3. ALL WIRING METHODS SHALL BE AS APPROVED BY THE WIRING INSPECTOR AND THE FIRE DEPARTMENT.
  4. ALL SYSTEM COMPONENTS SHALL BE UL LISTED FOR THEIR INTENDED PURPOSE.
  5. ALL WIRING SHALL BE IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE, NFPA 72, AND ALL STATE AND LOCAL CODES.
  6. ALL WIRING SHALL BE CLASS A.
  7. THE ELECTRICAL CONTRACTOR MUST OBTAIN AN ELECTRICAL PERMIT FROM THE ARLINGTON BUILDING DEPARTMENT AND A PERMIT FROM THE FIRE DEPARTMENT PRIOR TO COMMENCEMENT OF EQUIPMENT INSTALLATION. A FLOOR PLAN SHOWING ALL ALARM DEVICES, PANELS AND ONE-LINE WIRING DIAGRAM WILL BE REQUIRED TO BE SUBMITTED BEFORE THE FIRE DEPARTMENT ISSUES A PERMIT.
  8. INSTALLATION OF EQUIPMENT SHALL BE IN ACCORDANCE WITH CURRENT STANDARDS AND SPECIFICATIONS APPROVED BY THE AUTHORITY HAVING JURISDICTION.
  9. ALL FIRE ALARM EQUIPMENT, INSTALLATION AND OPERATION SHALL BE IN CONFORMANCE WITH THE LOCAL FIRE DEPARTMENT INSTALLATION REQUIREMENTS AND SYSTEM INSTALLATION GUIDELINES.
  10. ALL EQUIPMENT SHOWN ON DRAWINGS IS DIAGRAMMATIC.
  11. THE FIRE ALARM SYSTEM SHOP DRAWINGS SHALL BE REVIEWED AND APPROVED BY BOTH THE ENGINEER AND THE LOCAL FIRE DEPARTMENT. THE SHOP DRAWINGS MUST BE SIGNED OFF BY THE LOCAL FIRE DEPARTMENT AND ENGINEER PRIOR TO ORDERING AND INSTALLATION OF EQUIPMENT.
  12. ALL JOINTS AND CONNECTIONS SHALL BE IN JUNCTION BOXES. ALL CONNECTIONS NOT ON APPROVED TERMINAL STRIPS SHALL BE SOLDERED AND TAPED. ALL JUNCTION BOXES SHALL BE PAINTED RED.
  13. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR THAT ALL CONNECTING WIRING MAINTAIN ELECTRICAL INTEGRITY, WITH NO OPEN CIRCUITS, GROUNDS, LEAKAGE OR OTHER FAULTS. CONNECTION TO THE MUNICIPAL SYSTEM WILL NOT BE PERMITTED IF ANY FAULTS EXIST, AND THE CONTRACTOR HAS THE PERMANENT RESPONSIBILITY FOR THE MAINTENANCE OF ALL SUCH WIRING FOR A ONE-YEAR PERIOD. IF FAULTS DEVELOP AFTER INSTALLATION, CORRECTION MUST BE MADE BY THE CONTRACTOR FOR A PERIOD OF TWO YEARS AFTER THE DATE OF FINAL COMPLETION.
  14. ALL EQUIPMENT SHALL BE MADE AVAILABLE FOR TEST AND INSPECTION WHEN REQUIRED BY THE LOCAL FIRE DEPARTMENT.
  15. ALL EQUIPMENT USED SHALL BE OF A TYPE APPROVED BY THE FIRE CHIEF THROUGH THE ALARM SUPERINTENDENT AND THE FIRE PREVENTION OFFICER.
  16. ALL SYSTEMS SHALL BE DC, SUPERVISED, BATTERY STANDBY FIRE ALARM SYSTEM. A SEPARATE AC CIRCUIT MUST BE PROVIDED FOR THE FIRE ALARM SYSTEM. STANDBY BATTERIES AND THE CHARGING SYSTEM SHALL BE SUPERVISED.
  17. THE BATTERIES USED WITH THE FIRE ALARM CONTROL PANEL SHALL BE CAPABLE OF OPERATING THE PANEL FOR TWENTY-FOUR (24) HOURS WITH A FIVE (5) MINUTE RING-DOWN AT THE END OF THE TWENTY-FOUR (24) HOUR PERIOD. THE CALCULATION USED TO DETERMINE BATTERY CAPACITY SHALL BE PRESENTED TO THE FIRE DEPARTMENT AT THE TIME OF INSPECTION. PROVIDE BATTERY CALCULATIONS WITH SHOP DRAWINGS.
- UPON ACTIVATION OF ANY FIRE ALARM DEVICE, THE CONTROL PANEL SHALL SOUND THE EVACUATION SIGNALS, FLASH THE EVACUATION LIGHTS, INDICATE THE ZONE OF ACTIVATION AT THE PANEL AND ACTIVATE MUNICIPAL MASTER BOX.
18. ALL CLOSEOUT DOCUMENTS ARE REQUIRED UPON COMPLETION INCLUDING NFPA RECORD OF INSPECTION, NFPA RECORD OF COMPLETION, AS-BUILT DRAWINGS, POINT TO POINT WIRING DIAGRAM AND ANY OTHER DOCUMENTS THAT MAY BE REQUIRED BY THE AHJ. FAILURE TO FURNISH ANY AND ALL DOCUMENTS COULD RESULT IN THE CONSTRUCTION CONTROL SIGN OFF DOCUMENTATION TO BE WITHHELD. REFER TO ALL REQUIREMENTS OF NFPA-72.

WARNING:  
IT IS A VIOLATION OF THE LAW  
TO ALTER ANY ITEM IN ANY  
WAY UNLESS ACTING UNDER  
THE DIRECTION OF A  
PROFESSIONAL ENGINEER WHO  
SEALS THE DRAWING  
IDENTIFYING SUCH ALTERATIONS

DO NOT USE FOR  
CONSTRUCTION UNLESS SEALED  
AND MARKED "FOR  
CONSTRUCTION". ALL PIPING,  
HANGERS AND EQUIPMENT IS  
SHOWN DIAGRAMMATICALLY. THE  
ACTUAL ROUTING OF PIPING  
AND EXACT LOCATIONS OF  
HANGERS AND EQUIPMENT  
SHALL BE DETERMINED IN THE  
FIELD AND INSTALLED IN  
ACCORDANCE WITH ALL THE  
APPLICABLE CODES. ANY  
CHANGES TO THE DESIGN  
SHALL BE APPROVED IN  
WRITING BY THE ENGINEER OF  
RECORD.

THE INFORMATION SHOWN ON  
THIS DRAWING IS BASED ON  
BUILDING PLANS AND LIMITED  
FIELD VERIFICATION. THE  
CONTRACTOR SHALL FIELD  
VERIFY THE INFORMATION ON  
THE DRAWINGS AND NOTIFY  
THE ENGINEER IN WRITING OF  
ANY DISCREPANCIES PRIOR TO  
INSTALLATION.



PROFESSIONAL ENGINEERING  
SEAL:

OFFICIAL SEAL:  
SHALL BE "WET" STAMPED AND  
SIGNED IN BLUE INK. ANY  
COPY OF THIS DRAWING SHALL  
NOT CONSIDERED ACCURATE  
AND SHALL NOT BE USED FOR  
ANY PURPOSE

THIS DRAWING, DESIGN, AND  
DATA CONTAINED THEREIN IS  
THE EXCLUSIVE PROPERTY OF  
CORNELIUSSEN CONSULTING INC  
AND IS NOT TO BE  
DISTRIBUTED TO OR USED BY  
OTHERS WITHOUT THE  
EXPRESSED WRITTEN CONSENT  
OF CORNELIUSSEN CONSULTING  
INC

PREPARED FOR:

PREPARED BY:  
**CORNELIUSSEN  
CONSULTING  
INC.**

IN CONJUNCTION WITH:

PROJECT:  
**Fire Alarm  
Replacement  
Bishop Elementary  
Town of Arlington**

ADDRESS: 25 Columbia Street  
Arlington, MA

DRAWN: JHB

CHECKED: JPC

FILE:

DATE: August 22, 2022


SCALE: AS NOTED

**FA-1**

PAGE 1 OF 4  
REV 1.2A



Ground Floor




DEVICES	
	FIRE ALARM CONTROL PANEL
	REMOTE POWER SUPPLY
	REMOTE ANNUNCIATOR
	VOICE WORKPHONE
	PULL STATION
	SMOKE DETECTOR
	BEAM SMOKE DETECTOR
	DUCT SMOKE DETECTOR
	HEAT DETECTOR
	WALL MOUNT STROBE ONLY
	WALL MOUNT SPEAKER/STROBE
	CEILING MOUNT HORN/STROBE
	CEILING MOUNT STROBE ONLY
	EXTENSION BEACON
	MONITOR MODULE
	DUAL MONITOR MODULE
	CONTROL MODULE
	RELAY MODULE
	ISOLATOR MODULE
	SWALL SWITCH
	REMOTE TEST STATION
	DOOR HOLDER
	MASTER BOX

WARNING:  
IT IS A VIOLATION OF THE LAW  
TO ALTER ANY ITEM IN ANY  
WAY UNLESS ACTING UNDER  
THE DIRECTION OF A  
PROFESSIONAL ENGINEER WHO  
SEALS THE DRAWING  
IDENTIFYING SUCH ALTERATIONS

DO NOT USE FOR  
CONSTRUCTION UNLESS SEALED  
AND MARKED "FOR  
CONSTRUCTION". ALL PIPING,  
HANGERS AND EQUIPMENT IS  
SHOWN DIAGRAMMATICALLY. THE  
ACTUAL ROUTING OF PIPING  
AND EXACT LOCATIONS OF  
HANGERS AND EQUIPMENT  
SHALL BE DETERMINED IN THE  
FIELD AND INSTALLED IN  
ACCORDANCE WITH ALL THE  
APPLICABLE CODES. ANY  
CHANGES TO THE DESIGN  
SHALL BE APPROVED IN  
WRITING BY THE ENGINEER OF  
RECORD.

THE INFORMATION SHOWN ON  
THIS DRAWING IS BASED UPON  
BUILDING PLANS AND LIMITED  
FIELD VERIFICATION. THE  
CONTRACTOR SHALL FIELD  
VERIFY THE INFORMATION ON  
THE DRAWINGS AND NOTIFY  
THE ENGINEER IN WRITING OF  
ANY DISCREPANCIES PRIOR TO  
INSTALLATION.



PROFESSIONAL ENGINEERING  
SEAL:

OFFICIAL SEAL:  
SHALL BE "WET" STAMPED AND  
SIGNED IN BLUE INK. ANY  
COPY OF THIS DRAWING SHALL  
NOT CONSIDERED ACCURATE  
AND SHALL NOT BE USED FOR  
ANY PURPOSE

THIS DRAWING, DESIGN, AND  
DATA CONTAINED THEREIN IS  
THE EXCLUSIVE PROPERTY OF  
CORNELIUSEN CONSULTING INC  
AND IS NOT TO BE  
DISTRIBUTED TO OR USED BY  
OTHERS WITHOUT THE  
EXPRESSED WRITTEN CONSENT  
OF CORNELIUSEN CONSULTING  
INC

PREPARED FOR:

PREPARED BY:  
CORNELIUSEN  
CONSULTING  
INC.

IN CONJUNCTION WITH:

PROJECT:  
Fire Alarm  
Replacement  
Bishop Elementary  
Town of Arlington

ADDRESS: 25 Columbia Street  
Arlington, MA

DRAWN: JHB


CHECKED: JPC

FILE:

DATE: August 22, 2022

SCALE: AS NOTED

FA-2



WARNING:  
IT IS A VIOLATION OF THE LAW  
TO ALTER ANY ITEM IN ANY  
WAY UNLESS ACTING UNDER  
THE DIRECTION OF A  
PROFESSIONAL ENGINEER WHO  
SEALS THE DRAWING  
IDENTIFYING SUCH ALTERATIONS

DO NOT USE FOR  
CONSTRUCTION UNLESS SEALED  
AND MARKED "FOR  
CONSTRUCTION". ALL PIPING,  
HANGERS AND EQUIPMENT IS  
SHOWN DIAGRAMMATICALLY. THE  
ACTUAL ROUTING OF PIPING  
AND EXACT LOCATIONS OF  
HANGERS AND EQUIPMENT  
SHALL BE DETERMINED IN THE  
FIELD AND INSTALLED IN  
ACCORDANCE WITH ALL THE  
APPLICABLE CODES. ANY  
CHANGES TO THE DESIGN  
SHALL BE APPROVED IN  
WRITING BY THE ENGINEER OF  
RECORD.

THE INFORMATION SHOWN ON  
THIS DRAWING IS BASED UPON  
BUILDING PLANS AND LIMITED  
FIELD VERIFICATION. THE  
CONTRACTOR SHALL FIELD  
VERIFY THE INFORMATION ON  
THE DRAWINGS AND NOTIFY  
THE ENGINEER IN WRITING OF  
ANY DISCREPANCIES PRIOR TO  
INSTALLATION.



PROFESSIONAL ENGINEERING  
SEAL:

OFFICIAL SEAL:  
SHALL BE "WET" STAMPED AND  
SIGNED IN BLUE INK. ANY  
COPY OF THIS DRAWING SHALL  
NOT CONSIDERED ACCURATE  
AND SHALL NOT BE USED FOR  
ANY PURPOSE

THIS DRAWING, DESIGN, AND  
DATA CONTAINED THEREIN IS  
THE EXCLUSIVE PROPERTY OF  
CORNELIUSEN CONSULTING INC  
AND IS NOT TO BE  
DISTRIBUTED TO OR USED BY  
OTHERS WITHOUT THE  
EXPRESSED WRITTEN CONSENT  
OF CORNELIUSEN CONSULTING  
INC

PREPARED FOR:

PREPARED BY:  
**CORNELIUSEN  
CONSULTING  
INC.**

IN CONJUNCTION WITH:

PROJECT:  
**Fire Alarm  
Replacement  
Bishop Elementary  
Town of Arlington**

ADDRESS: 25 Columbia Street  
Arlington, MA

DRAWN: JHB

CHECKED: JPC

FILE:

DATE: August 22, 2022

SCALE: AS NOTED


**FA-3**



WARNING:  
IT IS A VIOLATION OF THE LAW  
TO ALTER ANY ITEM IN ANY  
WAY UNLESS ACTING UNDER  
THE DIRECTION OF A  
PROFESSIONAL ENGINEER WHO  
SEALS THE DRAWING  
IDENTIFYING SUCH ALTERATIONS

DO NOT USE FOR  
CONSTRUCTION UNLESS SEALED  
AND MARKED "FOR  
CONSTRUCTION". ALL PIPING,  
HANGERS AND EQUIPMENT IS  
SHOWN DIAGRAMMATICALLY. THE  
ACTUAL ROUTING OF PIPING  
AND EXACT LOCATIONS OF  
HANGERS AND EQUIPMENT  
SHALL BE DETERMINED IN THE  
FIELD AND INSTALLED IN THE  
ACCORDANCE WITH ALL THE  
APPLICABLE CODES. ANY  
CHANGES TO THE DESIGN  
SHALL BE APPROVED IN  
WRITING BY THE ENGINEER OF  
RECORD.

THE INFORMATION SHOWN ON  
THIS DRAWING IS BASED UPON  
BUILDING PLANS AND LIMITED  
FIELD VERIFICATION. THE  
CONTRACTOR SHALL FIELD  
VERIFY THE INFORMATION ON  
THE DRAWINGS AND NOTIFY  
THE ENGINEER IN WRITING OF  
ANY DISCREPANCIES PRIOR TO  
INSTALLATION.



PROFESSIONAL ENGINEERING  
SEAL:

OFFICIAL SEAL:  
SHALL BE "WET" STAMPED AND  
SIGNED IN BLUE INK. ANY  
COPY OF THIS DRAWING SHALL  
NOT CONSIDERED ACCURATE  
AND SHALL NOT BE USED FOR  
ANY PURPOSE

THIS DRAWING, DESIGN, AND  
DATA CONTAINED THEREIN IS  
THE EXCLUSIVE PROPERTY OF  
CORNELIUSEN CONSULTING INC  
AND IS NOT TO BE  
DISTRIBUTED TO OR USED BY  
OTHERS WITHOUT THE  
EXPRESSED WRITTEN CONSENT  
OF CORNELIUSEN CONSULTING  
INC

PREPARED FOR:

PREPARED BY:  
**CORNELIUSEN  
CONSULTING  
INC.**

IN CONJUNCTION WITH:

PROJECT:  
**Fire Alarm  
Replacement  
Bishop Elementary  
Town of Arlington**

ADDRESS: 25 Columbia Street  
Arlington, MA

DRAWN: JHB

CHECKED: JPC

FILE:

DATE: August 22, 2022

SCALE: AS NOTED

**FA-4**

PAGE 4 OF 4  
REV 1.2A

